



MATERIAL SAFETY DATA SHEET

PRODUCT NAME: FLEX
CC22

SECTION 1: PRODUCT INFORMATION

Distributed By: Bridgepoint Systems, 4282 W 590 W, Salt Lake City, Utah 84123
Company Phone Number: 801-261-1282
Emergency Phone Number: 1-800-535-5053 (Infotrac)
Date Prepared: 4/1/08 c

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)
Fire: 0 Health: 2 Reactivity: 0

SECTION 2: INGREDIENTS

<u>PRINCIPLE HAZARDOUS INGREDIENTS :</u>	<u>TLV</u>	<u>%</u>
Potassium Hydroxide (CAS# 1310-58-3)		<10
Ethylene Glycol Monobutyl Ether (CAS# 111-76-2)	25ppm	<5

SECTION 3: PHYSICAL DATA

Boiling Point (°F).....212°F	Specific Gravity(H ₂ O=1).....1.06
Vapor Pressure (mmHg.).....Essentially Water	Percent Volatile by Volume... Abt.82%
Vapor Density (AIR=1).....Essentially Water	PH (1% Solution).....12
Solubility in Water.....Complete	

Appearance & Odor.....Light orange with lemon odor

SECTION 4: FIRE, EXPLOSION & REACTIVITY DATA

Flash Point: Nonflammable

Extinguishing Media: Use appropriate media for surrounding materials.

Special Fire Fighting Procedures: As appropriate for surrounding materials involved in fire.

Unusual Fire and Explosion Hazards: None

Stability: Stable

Chemical Incompatibility: Strong acids and oxidizing agents.

Hazardous Decomposition or Byproducts: None

Hazardous Polymerization: Will not occur

Conditions to Avoid: None known

SECTION 5: HEALTH HAZARD INFORMATION

Route(s) of entry Eyes? yes Skin? yes Inhalation? no Ingestion? yes
Health Hazards: Eyes - Will cause irritation.
 Skin - May cause irritation.
 Inhalation - May cause irritation.
 Ingestion - May cause nausea and vomiting.
Carcinogenicity: NTP? no OSHA? no IARC Monograph? no

SECTION 6: EMERGENCY AND FIRST AID PROCEDURES

Eyes..... With eyes open, flush for 15 minutes. Get medical attention.
Skin..... Wash with soap and water. Get medical attention if irritation occurs.
Inhalation.. Remove to fresh air. If person has difficulty in breathing, give artificial
 respiration. Get immediate medical attention.
Ingestion... Drink large amounts of water followed by vinegar or citrus juice and induce
 vomiting. Get immediate medical attention.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Respiratory Protection... None normally needed.
Protective Clothing..... Rubber gloves & safety glasses with side shields or goggles.
Ventilation..... Normal room ventilation should be sufficient.
Storage..... Close container when not in use. Store in cool dry place.

SECTION 8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

Contain with chemical absorbent material. Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. **All disposal must be in accordance with all federal, state and local regulations.**

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.
