

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: QUICK FILLER
CLM1033

SECTION 1: PRODUCT INFORMATION

Distributed By: Bridgepoint Systems, 542 West Confluence Ave, Salt Lake City, Utah 84123
Company Phone Number: 801-261-1282
Emergency Phone Number: 1-800-535-5053 (Infotrac)
Date Prepared: 1-25-02 c

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)
Fire: Health: Reactivity:

SECTION 2: INGREDIENTS

PRINCIPLE HAZARDOUS INGREDIENTS :

None of the substances are labeled as a health hazard under EEC laws.

Mixture of alkyl phthalates and PVC

SECTION 3: PHYSICAL DATA

Boiling Point (°F)..... > 250° C
Vapor Pressure (mmHg.)..... NA
Vapor Density (AIR=1)..... > 1
Solubility in Water.....Insoluble

Specific Gravity(H₂O=1)..... NA
Percent Volatile by Volume... NA
PH (1% Solution).....NA

Appearance & Odor.....Milky, oily liquid, slight odor.

SECTION 4: FIRE, EXPLOSION & REACTIVITY DATA

Flash Point: >150° C

Extinguishing Media: Powder, foam, nebulised water.

Special Fire Fighting Procedures: Spray exposed containers with jets of water.

Unusual Fire and Explosion Hazards: NA

Stability: Stable

Chemical Incompatibility: Strong oxidizing agents.

Hazardous Decomposition or Byproducts: Thermal decomposition produces toxic compounds.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Avoid high temperatures and accumulation of electrostatic charges.

PRODUCT NAMEQUICK FILLER CLM1033 page 2

SECTION 5: HEALTH HAZARD INFORMATION

Route(s) of entry	Eyes? Yes Skin? Yes Inhalation? Yes Ingestion? Yes
Health Hazards:	Eyes – May cause irritation. Skin - May cause reddening of the skin and irritation. Inhalation - May cause irritation to the respiratory passages. Ingestion - May cause belly-ache, headache and nausea.
Carcinogenicity:	NTP? No OSHA? No IARC Monograph? No

SECTION 6: EMERGENCY AND FIRST AID PROCEDURES

Eyes.....	Flush with water for 15 minutes. Get medical attention if irritation persists.
Skin.....	Flush with water for 15 minutes. Get medical attention if irritation persists.
Inhalation..	Move person to fresh air. Get medical attention if irritation persists.
Ingestion...	Give large quantities of water. Get medical attention if irritation persists.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Respiratory Protection...	Not normally needed under proper conditions of use and storage.
Protective Clothing.....	Rubber gloves recommended.
Eye Protection.....	Safety goggles recommended.
Ventilation.....	Use with adequate ventilation.
Storage.....	Store in original containers in a cool ventilated place protected from sunlight.

SECTION 8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

Absorb liquid in sand or inert absorbent and remove to safe place. Wash away remainder with water. All disposals must be in accordance with all federal, state and local regulations.

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not applicable N/D = Not determined N/E = Not established